

# MATERIAL SAFETY DATA SHEET



102, 17910 – 55 Ave Surrey, BC, Canada V3S 6C8 • Toll Free 1-866-535-6699  
Tel: 604-575-6660 Fax: 604-575-5494 e-mail: extreme.ron@telus.net

## EXTREME ROD GREASE

**EMERGENCY PHONE NO. (604) 575-6660**

**PAGE 1 OF 4**

### WHMIS HAZARD INDEX:

#### DEGREE OF HAZARD:

HEALTH 0  
FIRE 1  
REACTIVITY 0  
OTHER: A (GLASSES & GLOVES)

#### HAZARD RATING:

0 LEAST  
1 SLIGHT  
2 MODERATE  
3 HIGH  
4 EXTREME

### SECTION 1

### PRODUCT IDENTIFICATION

PRODUCT NAME: EXTREME ROD GREASE  
CHEMICAL IDENTIFICATION: Petroleum Hydrocarbon  
MATERIAL USE: Thick composition, industrial lubricant  
WHMIS CLASSIFICATION: Not controlled  
WORK PLACE HAZARD: Not applicable

### TRANSPORTATION OF DANGEROUS GOODS (TDGR)

CLASSIFICATION: Not dangerous goods  
PACKAGE GROUP: Not applicable  
CAS NUMBER: Not applicable  
MSDS CODE: Not applicable

### SECTION 2

### HAZARDOUS INGREDIENTS

INGREDIENT: Mixture of hydrotreated neutral base oil and additives  
PERCENTAGE: 100%  
CAS NUMBER: Not applicable  
LD (50): Acute oral toxicity (Rat): 5000 Mg/Kg  
LC (50): Not determined  
TLV-TWA: 5 Mg/m<sup>3</sup> (Oil Mist)

## EXTREME ROD GREASE

**MATERIAL SAFETY DATA SHEET****SECTION 3****PHYSICAL DATA**

APPEARANCE AND ODOUR:	Long fibered grease, greenish brown colour, mild grease like odour.
DENSITY (SPECIFIC GRAVITY):	.89
BOILING POINT:	260°C
MELTING POINT:	Not available
SOLUBILITY:	Insoluble in cold water, soluble in non-polar hydrocarbon solvents.
EVAPORATION RATE: (EE=1):	Not available
VAPOUR PRESSURE: (MM HG):	0.0075 @ 20°C
VAPOUR DENSITY: (AIR = 1):	Not available

**SECTION 4****FIRE AND EXPLOSION**

FLASHPOINT:	252°C
FLAMMABLE LIMIT:	Not available
AUTO IGNITION TEMP:	316°C
EXTINGUISHING MEDIA:	Dry chemical, foam, CO <sub>2</sub> , water spray, fog
SPECIAL FIRE FIGHTING PROCEDURES:	None required
UNUSUAL FIRE AND EXPLOSION HAZARDS:	None

**SECTION 5****REACTIVITY DATA**

STABILITY (THERMAL, LIGHT, ETC.):	Stable
INCOMPATIBILITY (CONDITIONS TO AVOID):	Avoid excessive heat, highly reactive with oxidizing agents.
HAZARDOUS POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon and nitrogen, irritating fumes and smoke as products of incomplete combustion.

## EXTREME ROD GREASE

## MATERIAL SAFETY DATA SHEET

**SECTION 6****HEALTH HAZARDS**

## ROUTE OF ENTRY:

 SKIN EYE CONTACT INHALATION INGESTION

## SKIN CONTACT:

## EYE CONTACT:

## INHALATION:

## INGESTION:

Non-irritating; for prolonged exposure wear gloves.  
May irritate the eyes  
Low vapour pressure, not expected to present inhalation exposure under normal conditions.  
Low toxicity on ingestion; has laxative effect and rapidly eliminated.

**SECTION 7****PREVENTATIVE MEASURES**

## SKIN PROTECTION:

## EYE PROTECTION:

## VENTILATION:

## RESPIRATORY PROTECTION:

## LEAK &amp; SPILL PROCEDURE:

## WASTE DISPOSAL:

## STORAGE REQUIREMENTS:

None normally required. Personal preference suggest gloves, boots and long sleeved clothing.  
Wear safety glasses/goggles.  
No special ventilation required for normal conditions.  
None normally required. If mist generated by heating or spraying wear an organic vapour respirator with mist filter.  
Contain spill. Use appropriate tools to place spilled material in a container for reclaiming or disposal.  
Dispose of in compliance with local and government regulations.  
Store in cool, dry area away from oxidizing agents.  
Keep containers tightly closed when not in use.

## EXTREME ROD GREASE

**MATERIAL SAFETY DATA SHEET****SECTION 8****FIRST AID MEASURES**

SKIN:	Wash gently and thoroughly with mild soap and water. Remove and launder contaminated clothes.
EYE:	Immediately flush eyes with running water for at least 15 minutes. Keep eyelids open. Do not use an eye ointment. Seek medical attention if irritation persists.
INHALATION:	Not expected under normal conditions. Remove victim to safe area, perform mouth to mouth resuscitation if victim is not breathing. Seek medical attention.
INGESTION:	Do not induce vomiting. Has laxative effect; rapidly eliminated. Medical assessment advised.

**SECTION 9****PREPARATION DATE**

DATE ISSUED:	AUGUST 20, 2009
DATE REVISED:	JANUARY 01, 2018
BY:	PRODUCT SAFETY COMMITTEE

THE DATA REPRESENTED HEREIN IS BELIEVED ACCURATE AND REFLECTS OUR BEST PROFESSIONAL JUDGMENT. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF SUCH DATA, THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, OR THAT ANY SUCH USE DOES NOT INFRINGE ANY PATENT. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS OF USE BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, WE DO NOT ASSUME ANY RESPONSIBILITY FOR THE RESULTS OF SUCH APPLICATION. THIS INFORMATION IS FURNISHED UPON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS OWN DETERMINATION OF THE SUITABILITY OF THE MATERIAL FOR HIS PARTICULAR PURPOSE.